

Artikelnummer	USHIO Code	Leistung (W)	Nennspannung (V)	Farbtemperatur (K)	Spezifische Leistung (W/cm)	Lebensdauer (h)	Gesamtlänge (mm)	Heizlänge (mm)	Brennlage	Sockel	Reflektor	Besonderheit
50001405	QIA01405									KSSV	-	
50001406	QIA01406									Steatit B	-	
50001408	QIA01408									xLirU	-	
50001409	QIA01409									EasyFit	-	
50019905	QIA19905									ISD	-	
50019915	QIA19915									ISE	-	
919170501	QIR230-200/E	200	230	2300	16,8	5000	190	119	horizontal	R7s	-	
930410627	QIR120-250/E	250	120	2100	9,6	5000	318	260	horizontal	R7s	-	
919620501	QIR240-300/E3	300	240	2600	46,2	1000	117	65	horizontal	R7s	-	
919620927	QIR240-300/VB	300	240	2600	46,2	1000	144	65	vertical	B	-	
930309601	QIR240-300/YD	300	240	800	18,5	5000	224	162	horizontal	GLirU/230	-	black coating
919629101	QIR240-300/ZD	300	240	2400	46,2	1000	120	65	horizontal	LirU/300	x	
930412827	QIR240-300/ZH	300	240	2400	46,2	5000	120	65	horizontal	H	x	
931182301	QIR240-300C/D	300	240	2500	18,5	5000	224	162	horizontal	GLirU/230	-	clear tube
919150501	QIR230-330/E	330	230	2300	27,7	5000	190	119	horizontal	R7s	-	
919140127	QIH120-375T/S	375	120	2500	29,3	5000	219	128	horizontal	LrM/145	-	translucent
919542901	QIR120-500/B2	500	120	2500	30,3	5000	244	165	horizontal	B	-	
919540501	QIR120-500/E3	500	120	2500	30,3	5000	222	165	horizontal	R7s	-	
931125101	QIR120-500/ZB	500	120	2500	35,5	5000	241	141	horizontal	B	x	
919548901	QIR120-500/ZB2	500	120	2500	30,3	5000	244	165	horizontal	B	x	
930503127	QIR120-500/ZH	500	120	2500	30,3	5000	226	165	horizontal	H	x	
919250501	QIR230-500/E2	500	230	2500	30,3	5000	220	165	horizontal	R7s	-	
919250136	QIR230-500/K2	500	230	2450	30,3	5000	260	165	horizontal	KSSV	-	
919259101	QIR230-500/ZK	500	230	2400	30,3	5000	260	165	horizontal	KSSV	x	
919250901	QIR235-500/B	500	235	2500	30,3	5000	244	165	horizontal	B	-	
919258327	QIR235-500/ZD5	500	235	2500	30,3	5000	226	165	horizontal	GLirU/200	x	
930412727	QIR235-500/ZH	500	235	2500	30,3	5000	226	165	horizontal	H	x	
931042327	QIR240-500/D2	500	240	2600	30,9	5000	224	162	horizontal	GLirU/200	-	
931186301	QIR240-500/VZD	500	240	2600	30,9	2000	224	162	vertical	GLirU/210	x	
931012301	QIR240-500C/D	500	240	2450	30,9	5000	224	162	horizontal	GLirU/240	-	clear tube
919230101	QIR240-500C/E2	500	240	2500	30,9	5000	219	162	horizontal	R7s	-	clear tube
930413427	QIR240-500C/H	500	240	2450	30,9	5000	224	162	horizontal	H	-	clear tube
919830101	QIR110-600W/VZD	600	110	2400	75,0	5000	150	80	vertical	LidU/600	x	double tube SE
930410727	QIR120-600/E	600	120	2300	20,7	5000	356	290	horizontal	R7s	-	
919599201	QIR120-600/ZD	600	120	2700	85,7	5000	130	70	horizontal	GLirU/150	x	
919610101	QIR228-650/K	650	228	2200	37,6	5000	260	173	horizontal	KSSV	-	
919610401	QIR228-650/L	650	228	2200	37,6	5000	235	173	horizontal	Lir/60	-	
919929101	QIR235-700W/ZD	700	235	2300	56,0	5000	190	125	horizontal	LidU/500	x	double tube SE
919012501	QIR240-700/D2	700	240	2650	46,7	5000	222	150	horizontal	LirU/140	-	
931232301	QIR230-750/JDVA	750	230	2450	27,6	5000	354	272	vertical	LirU/100/480	-	
931222301	QIR230-750/VSD	750	230	2000	10,6	5000	785	710	horizontal	LirU/220/1020	-	
930410927	QIR220-800/E	800	220	2400	27,1	5000	362	295	horizontal	R7s	-	

931081001	QIR240-800/VC2	800	240	2500	19,7	5000	500	407	vertical	Lir/150	-	
930306901	QIR115-900/L	900	115	2400	16,4	5000	632	550	horizontal	LiR/200	-	
930410827	QIR220-950/E	950	220	2400	35,2	5000	316	270	horizontal	R7s	-	
930310901	QIR110-1000/D2	1000	110	2000	24,1	5000	480	415	horizontal	GLirU/260	-	
919290101	QIR120-1000/F2	1000	120	2900	81,3	2000	213	123	horizontal	Fa4	-	
919299101	QIR120-1000/ZF	1000	120	3000	81,3	2000	213	123	horizontal	Fa4	x	
919488527	QIH208-1000T/S	1000	208	2500	39,4	5000	351	254	horizontal	LrM/145	-	translucent
919260101	QIR230-1000/K	1000	230	2400	39,4	5000	340	254	horizontal	KSSV	-	
919959101	QIR230-1000/ZK2	1000	230	2400	39,4	5000	340	254	horizontal	KSSV	x	
919100501	QIR235-1000/VD2	1000	230	2400	36,8	5000	349	272	vertical	LirU/200	-	
919102901	QIR235-1000/B	1000	235	2400	36,8	5000	370	272	horizontal	B	-	
919102501	QIR235-1000/D2	1000	235	2400	36,8	5000	349	272	horizontal	LirU/200	-	
919100301	QIR235-1000/VD	1000	235	2400	36,8	5000	349	272	vertical	GLirU/200	-	
919109901	QIR235-1000/VZB	1000	235	2400	36,8	5000	370	272	vertical	B	x	
919109301	QIR235-1000/VZD2	1000	235	2400	36,8	5000	349	272	vertical	GLirU/200	x	
919108901	QIR235-1000/ZB	1000	235	2400	36,8	5000	370	272	horizontal	B	x	
919108501	QIR235-1000/ZD	1000	235	2400	36,8	5000	349	272	horizontal	LirU/200	x	
919108301	QIR235-1000/ZD2	1000	235	2400	36,8	5000	349	272	horizontal	GLirU/200	x	
919102301	QIR240-1000/D2	1000	235	2400	36,8	5000	349	272	horizontal	GLirU/200	-	
919481201	QIH240-1000/S2	1000	240	2500	39,4	5000	300	254	horizontal	LrM/145	-	
919480101	QIH240-1000/VS2	1000	240	2400	39,4	5000	300	254	vertical	LrM/145	-	
931336327	QIR240-1000/TPK3	1000	240	2500	36,8	5000	354	272	horizontal	LirU/750	x	
931021127	QIR240-1000/VB	1000	240	2500	36,4	5000	368	275	vertical	B	-	
931091001	QIR240-1000/VC2	1000	240	2500	40,8	5000	300	245	vertical	Lr/150	-	
931036301	QIR240-1000/VYD	1000	240	2500	36,8	5000	354	272	vertical	GLirU/200	-	black coating
931015127	QIR240-1000/VZB	1000	240	2500	36,4	5000	368	275	vertical	B	x	
931026327	QIR240-1000/VZD	1000	240	2500	36,8	5000	354	272	vertical	GLirU/200	x	
931426301	QIR240-1000/VZD4	1000	240	2500	61,7	5000	223	162	vertical	GLirU/200	x	
931045101	QIR240-1000/ZB	1000	240	2500	36,4	5000	368	275	horizontal	B	x	
919800501	QIR235-1100/ZD	1100	235	2400	37,9	5000	372	290	horizontal	GLirU/200	x	
919800101	QIR235-1100/ZL	1100	235	2400	37,9	5000	375	290	horizontal	LiR/300	x	
931386301	QIR240-1100/ZD-SI-TI	1100	240	2500	68,8	5000	225	160	horizontal	LirU/230	x	
931012401	QIR144-1200/S	1200	144	2500	77,4	5000	221	155	horizontal	LrM/143	-	
919429801	QIR144-1200/ZS	1200	144	2500	77,4	5000	221	155	horizontal	GLirM/150	x	
919429201	QIR144-1200KRP3	1200	144	2500	77,4	5000	224	155	horizontal	GLirU/150	x	
919679101	QIR235-1200/KRP3	1200	235	2700	77,4	5000	224	155	horizontal	GLirU/155	x	
932000127	QIH235-1500UE	1500	235	3000	55,6	1000	354	270	horizontal	LirU/1230	-	
931012501	QIR235-1500/E1	1500	235	2400	48,4	4500	419	310	horizontal	R7s	-	
912015101	QIM400-1500W/ZD	1500	400	1000	19,9	5000	807	755	horizontal	LidU/550	x	twin tube SE
919419801	QIR144-1600/ZS	1600	144	2500	103,2	5000	221	155	horizontal	GLirM/150	x	
919419201	QIR144-1600KRP3	1600	144	2500	103,2	5000	224	155	horizontal	GLirU/150	x	
919669101	QIR235-1600/KRP3	1600	235	2700	103,2	5000	224	155	horizontal	GLirU/150	x	
919399501	QIR235-1600/ZD4	1600	235	2500	42,7	5000	445	375	horizontal	GLirU/200	x	
930412527	QIR235-1600/ZH	1600	235	2700	103,2	5000	224	155	horizontal	H	x	
919070801	QIR230/250-1600S2	1600	240	2500	39,4	5000	506	406	horizontal	LrM/155	-	
919442501	QIR240-1600/D2	1600	240	2500	39,4	5000	485	406	horizontal	GLirU/200	-	
919730601	QIR240-1600/D3	1600	240	2500	36,4	5000	510	440	horizontal	LirU/700	-	
919730101	QIR240-1600/K	1600	240	2500	36,4	5000	540	440	horizontal	KSSV	-	
919070601	QIR240-1600/VC2	1600	240	2500	39,4	5000	503	406	vertical	Lr/159	-	
919070101	QIR240-1600/VK	1600	240	2500	39,4	5000	540	406	vertical	KSSV	-	
919079601	QIR240-1600/ZC	1600	240	2500	39,4	5000	503	406	horizontal	Lr/156	x	
919739501	QIR240-1600/ZD2	1600	240	2500	36,4	5000	514	440	horizontal	LirU/750	x	
919072301	QIR240-1600/ZD4	1600	240	2500	39,4	5000	512	406	horizontal	GLirU/200	x	

919460101	QIR230-2000/ZD	2000	230	2450	40,0	5000	658	500	horizontal	LirU/500	x		
930407527	QIR230-2000SPA2	2000	230	2400	40,0	5000	650	500	horizontal	LirU/500	x		
919402901	QIR235-2000/D	2000	235	2400	71,4	5000	349	280	horizontal	GLirU/195	-		
919409301	QIR235-2000/VZD	2000	235	2400	71,4	5000	349	280	vertical	GLirU/195	x		
919409001	QIR235-2000/ZD	2000	235	2400	71,4	5000	349	280	horizontal	LirU/200	x		
919408901	QIR235-2000/ZD4	2000	235	2400	71,4	5000	349	280	horizontal	GLirU/195	x		
930407327	QIR235-2000SPA2	2000	235	2450	71,4	5000	357	280	horizontal	LirU/230	x		
919409901	QIR240-2000/VZB2	2000	235	2400	71,4	5000	370	280	vertical	B	x		
919470101	QIH240-2000/S	2000	240	2500	80,6	5000	300	248	horizontal	LrM/145	-		
919489527	QIH240-2000T/S	2000	240	2500	39,4	5000	603	508	horizontal	LrM/145	-	translucent	
919450101	QIR240-2000/F	2000	240	2900	93,0	1500	334	215	horizontal	Fa4	-		
931316327	QIR240-2000/TPK3	2000	240	2500	71,4	5000	354	280	horizontal	LirU/750	x		
931031001	QIR240-2000/VC3	2000	240	2500	71,4	5000	347	280	vertical	RLirU/147	-		
931106301	QIR240-2000/VZD3	2000	240	2500	71,4	5000	354	280	vertical	GLirU/200	x		
931101001	QIR240-2000FRA	2000	240	2500	80,6	5000	300	248	horizontal	RLir/75/120	-	twin tube SE	
931326301	QIR240-2000HH	2000	240		71,4	5000	347	280	horizontal	GLirU/250	x		
930303801	QIR240-2000W/ZD4	2000	240	2200	25,0	5000	900	800	horizontal	LidU/500	x		
931101127	QIR400-2000/VB3	2000	400	2500	48,8	7500	508	410	vertical	B	-		
931176302	QIR400-2000/VZD2	2000	400	2500	71,4	5000	354	280	vertical	GLirU/200	x		
930204301	QIR400-2000/ZB	2000	400	2500	48,8	5000	508	410	horizontal	B	x		
931037101	QIR400-2000AM	2000	400	2500	28,7	5000	799	698	vertical	Lir/2000	x		
931456301	QIR400-2000PUT	2000	400	2500	73,5	5000	354	272	vertical	GLirU/200	x		
930314801	QIR235-2500/ZD	2500	235	2500	89,3	5000	349	280	horizontal	GLirU/200	x		
930202827	QIR400-2500/ZC	2500	400	2500	48,5	5000	600	515	horizontal	GLir/270	x		
919358727	QIR400-2500/ZD5	2500	400	2500	81,4	5000	374	307	horizontal	LirU/225	x	double tube DE	
919860101	QIR220-3000W/ZD	3000	220	2400	60,0	5000	640	500	horizontal	LidU/500	x		
931436301	QIR230-3000/TPK	3000	230	2450	42,3	5000	784	710	horizontal	LirU/500	x		
930407627	QIR230-3000SPA2	3000	230	2400	42,9	5000	782,5	700	horizontal	LirU/500	x		
930407427	QIR235-3000SPA2	3000	235	2450	107,1	5000	357	280	horizontal	LirU/230	x		
919820201	QIR380-3000/VZB2	3000	380	2400	46,9	5000	781	640	vertical	B	x		
930405927	QIR400-3000/VZB	3000	400	2400	42,9	5000	798	700	vertical	B	x		
919898727	QIR400-3000/ZD7	3000	400	2500	97,7	5000	377	307	horizontal	LirU/225	x		
931121101	QIR400-3000HH	3000	400	2400	42,9	5000	798	700	vertical	B	-		
930413327	QIM400-3250W/ZD	3250	400	1100	25,0	5000	1500	1300	horizontal	LidU/1200	x	twin tube DE	
930303901	QIR400-3600W/ZD2	3600	400	2200	45,0	5000	900	800	horizontal	LidU/500	x	twin tube SE	
930307801	QIR230-4200W/ZD	4200	230	2200	60,0	5000	850	700	horizontal	LidU/500	x	twin tube DE	
930400401	QIR380-4200W/ZD	4200	380	2200	60,0	5000	850	700	horizontal	LidU/190	x	twin tube DE	
919050127	QIH480-4900/VL	4900	480	2500	39,4	5000	1341	1245	vertical	Lir/145	-		
930304801	QIR400-5400W/ZD	5400	400	2400	47,0	5000	1200	1150	horizontal	LidU/100	x	twin tube DE	
931041001	QIR400-6700G	6000	400	3200	202,0	5000	343	297	horizontal	RLr/44	-		
919550301	QIR480-6500/C	6500	480	3250	267,49	700	300	243	horizontal	RLr/54	-		
930401101	QIR400-7000W/ZD	7000	400	2650	100,0	3000	800	700	horizontal	LidU/1500	x	twin tube DE	
930304427	QIR400-7000W/ZD2	7000	400	2400	51,8/56,8	5000	900		horizontal	LidU/500	x	twin tube DE	